

# Alias Connections Serve Many Reports

## Overview

When a set of reports are required that only differ by the source tag names, then alias connections can be used to avoid having to create multiple templates. For example, to produce reports for three production lines that are identical except for their tags, one template with alias connections can be used to serve every line.


## Approach

The approach requires a two-template strategy. One template, the *Report Template*, is used to produce the report for every production line and is designed with alias connections and names using variables. The other template, the *Worker Template*, is driven from the scheduler to set physical values to the alias names and initiate the Report Template to produce the reports.

## Variables


The first step is to define a variable for the production line name. Variables are defined in the **Variable Editor** which can be accessed from the **Project Explorer**, by selecting **Variables** under the **Data** tab.

A **User Defined, Custom** variable is configured to hold the production line name.



The screenshot shows a dialog box titled "Custom" with a close button (X) in the top right corner. It contains three input fields: "Variable" with the text "Line", "Description" with the text "Production line name", and "Type" with a dropdown menu set to "Text". At the bottom, there are "OK" and "Cancel" buttons.

In the above example, *Line* represents a production line name. This example also uses *Tag 1* to *Tag 4* represent tag names.



The screenshot shows the "Variable Editor" window. On the left is a tree view with categories: Function, Analytic, and User Defined. Under "User Defined", the "Tag" folder is selected. The main area is a table with columns "Name" and "Description".

Name	Description
Tag 1	
Tag 2	
Tag 3	
Tag 4	
Tag 5	
Tag 6	
Tag 7	
Tag 8	
Tag 9	
Tag 10	
Tag 11	
Tag 12	
Tag 13	
Tag 14	
Tag 15	
Tag 16	

At the top right of the window, there are "Set Value" and "Refresh" buttons. The "Tag" folder in the tree view is highlighted in blue.

These are defined under **User Defined, Tag**.

# Report Template

This template is a generic version of the report and uses alias names given by variables rather than a specific production line name and tag names.

## Report Names

The configuration of **Report Names** uses the alias names.

Template	Folder	Report	Over
WORKBOOK			
Production Line Report	{Line}	Production_{Line}_{YYYY}_{MM}_{DD}	No
WORKSHEET			
*			
Template			

In the above example, *{Line}* is the alias name for the production line and is used for:

- The **Folder** where the report will be saved
- As part of the **Report** name, together with date variables to indicate the day the report is generated for.

## Data Connections


The template data connections use alias names.

Grc	Connector	Source	Target	Place
0	Expressions	{Line}, {DDDD}, {MM}/{YY}	\$\$3	Direct
0	XLR_History	Production Line Report	\$\$7	Direct
*				

In the above example, an alias name is used in an **Expression** connection to provide a title at cell \$\$3. There are also alias names used in the data group connector.

## Data Group

Using alias names in a data group opens the possibility of re-using the group over different sets of tags, i.e., different process equipment.




In the above example, alias names have been used for the tag **Names** and also the **Heading**.

## Worker Template

The worker template is used to drive the reports from the report template. The template consists of the schedule actions that are required to produce the report and the physical tag name to alias name relationship.


Note that the heading of the alias name table corresponds to the alias names required by the report template and that each row represents a set of physical values that are assigned to the alias name.



In the example above, the schedule action is in cell  $B3$ , the alias names are in row 7 and the physical value for the alias names are in rows 8 to 10. The management connection in the next section processes all this information to produce the reports.

## Management Connection

A **Cell Action, By Row Iteration** management function performs the schedule actions iteratively over each row in the alias table.



For this example, when the Scheduler initiates the worker template, the physical values starting at row 8 are assigned to the alias names and the action starting in cell \$B\$3 is processed. The net result is the schedule action runs 3 times, one for each set of alias names.

## Schedule

The worker template is executed by the scheduler which in turn processes the report template.

